

LUXARO

TILES THAT BRING
PEACE BENEATH
YOUR FEET

ONYX GLOSSY

Collection
600X1200MM



LUXARO

THE ART OF CREATING
COZY WITH A
GENTLE TOUCH.







LUXARO

ONYX GLOSSY

Onyx Glossy tiles redefine elegance with their mesmerizing finish that captures light and amplifies its brilliance. The polished surface creates a mirror-like sheen, enhancing the natural beauty of the stone's intricate patterns and rich hues. This glossy finish brings a sense of depth and opulence, transforming spaces into luxurious retreats.



Their shiny finish adds elegance and modern style to any space, creating a sophisticated look. Whether used on floors or walls, glossy tiles enhance the beauty and functionality of your home.



LUXARO

600X1200MM



LUXARO



Versatile Applications and Features of Onyx Glossy Tiles

Onyx Glossy tiles are the epitome of style and practicality, ideal for commercial and residential applications, these surfaces offer unmatched functionality and adaptability.



RESIDENCE



OFFICES



PUBLIC PLACES



SHOPS



HOTELS



MALLS



AIRPORTS

EASY TO CLEAN

The smooth, glossy surface allows for effortless cleaning, ensuring your spaces remain pristine.



STAIN RESISTANT

Their non-porous surface prevents stains from penetrating, making maintenance worry-free.




SCRATCH RESISTANT

Built to withstand daily wear and tear, these tiles retain their flawless appearance over time.



LUXARO





ANTIQUE ONYX GREY

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

ANTIQUE ONYX GREY



ANTIQUE ONYX NATURAL

Size : 600x1200mm

Finish : Glossy

Random : 4


Thickness : 9mm





LUXARO

ANTIQUE ONYX NATURAL




APOLLO CREMA

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

APOLLO CREMA




APOLLO WHITE

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

APOLLO WHITE



ARCTIC ICE

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

ARCTIC ICE




ASCALE ONICE

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

ASCALE ONICE



ASTER BEIGE

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

ASTER BEIGE



ASTER BIANCO

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

ASTER BIANCO






AURA ONYX BEIGE

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm




LUXARO



AURA ONYX BEIGE

LUXARO



AURA ONYX BLUE

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

AURA ONYX BLUE






AURA ONYX GREY

Size : 600x1200mm

Finish : Glossy

Random : 4


Thickness : 9mm



LUXARO

AURA ONYX GREY





BELLAGIO MARFIL

Size : 600x1200mm

Finish : Glossy

Random : 8

Thickness : 9mm





LUXARO

BELLAGIO MARFIL




BETULA CREMA

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

BETULA CREMA






BETULA NATURAL

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

BETULA NATURAL



BRITISH ONICE

Size : 600x1200mm

Finish : Glossy

Random : 3


Thickness : 9mm



LUXARO

BRITISH ONICE

LUXARO




CASPIAN ONYX

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

CASPIAN ONYX



CASPIAN ONYX WHITE

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

CASPIAN ONYX WHITE



COCO ONYX

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

COCO ONYX



COSAVA ONYX

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

COSAVA ONYX



DIGNIFY ONYX

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm





LUXARO

DIGNIFY ONYX




EMOLA CREMA

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

EMOLA CREMA



EMOLA GREY

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

EMOLA GREY




FEBIA ONYX SKY

Size : 600x1200mm

Finish : Glossy

Random : 4


Thickness : 9mm





LUXARO

FEBIA ONYX SKY



FOREST WHITE

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm



LUXARO

FOREST WHITE




FUSION BROWN

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO



FUSION BROWN

LUXARO





FUSION NATURAL

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

FUSION NATURAL

LUXARO




HOPE WHITE

Size : 600x1200mm

Finish : Glossy

Random : 2

Thickness : 9mm





LUXARO

HOPE WHITE




LUCAS ONXY BEIGE

Size : 600x1200mm

Finish : Glossy

Random : 4




Thickness : 9mm





LUXARO

LUCAS ONXY BEIGE



LUJO ONYX BIANCO

Size : 600x1200mm

Finish : Glossy


Random : 3

Thickness : 9mm



LUXARO

LUJO ONYX BIANCO




MARCO ONYX

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

MARCO ONYX




MERCURY ONYX

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

MERCURY ONYX





MODULO NATURAL

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm





LUXARO

MODULO NATURAL



MOON ONYX CREMA

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

MOON ONYX CREMA




MOON ONYX ICE

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm





LUXARO

MOON ONYX ICE



NUVO ONYX GREY

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





LUXARO

NUVO ONYX GREY



ONICE GOLD

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm



LUXARO

ONICE GOLD






ONIDA ONYX

Size : 600x1200mm

Finish : Glossy

Random : 4


Thickness : 9mm





LUXARO

ONIDA ONYX



ONYX GOLD WAVE

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm





LUXARO

ONYX GOLD WAVE




ONYX MELLOW

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm



LUXARO

ONYX MELLOW



PERSIAN CREMA

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm



LUXARO

PERSIAN CREMA




PERSIAN GREY

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm





LUXARO

PERSIAN GREY



RUBY ONYX SKY

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm






LUXARO

RUBY ONYX SKY

LUXARO




SLIMY BEIGE

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

SLIMY BEIGE



SONATA ONYX

Size : 600x1200mm

Finish : Glossy

Random : 3

Thickness : 9mm





LUXARO

SONATA ONYX



TIMELESS BEIGE

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

TIMELESS BEIGE





TIMELESS WHITE

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm





TIMELESS WHITE



LUXARO




TROPICAL ONYX

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

TROPICAL ONYX






UMBER ONYX GREY

Size : 600x1200mm

Finish : Glossy

Random : 6

Thickness : 9mm





LUXARO

UMBER ONYX GREY



UNIQUE ONYX

Size : 600x1200mm

Finish : Glossy

Random : 4

Thickness : 9mm



LUXARO

UNIQUE ONYX



LUXARO

VERA ONYX

Size : 600x1200mm

Finish : Glossy

Random : 6

Thickness : 9mm



LUXARO

VERA ONYX

LUXARO

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP BIa	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15
Dimension (MM)	Box			
	Pieces	Sq. Mtr.	Sq. Feet	Weight(Apx.)
600x1200mm	2	1.44	15.50	27 Kgs. Approx