

# LUXARO

END MATCH  
**600x1200mm**

*Endless Tiles*

The Fusion of Style, Beauty,  
and Functionality That Redefining  
Spaces with Elegance.





## **END MATCH COLLECTION**

Endless Tiles redefines elegance with its wide range of innovative and stylish designs. It combines beauty and functionality for floors and walls that leave a lasting impression, making every corner of your home or office with beauty and luxury.



# LUXARO

## A MARVELOUS STORY BEGINS WITH THE DISCOVERY OF FIVE PRECIOUS STONES.

The four pillars of Gracias Ceramica's success are its product knowledge, constant quality, unbreakable loyalty, and moral integrity. The management is excellence-driven, highly motivated, and passionate. We raise the standard in the natural stone industry by offering creative and practical solutions for both residential and commercial environments.

Our products are sourced from the finest quarries in the world, and only the most premium grade of material is procured for our customers.





# LUXARO



Easy To Clean



Hygienic And Safe



Easy To Install



It Is Colourfast



It Resists Thermal Shocks



It Is Frostproof



It Resists  
Water And Damp



It Does Not Contain Plastic  
Or Asbestos, Or Release



It Resists Loading  
And Stress



It Is Abrasion And  
Wear-Resistant



It Resists Both Household  
And Industrial Chemicals



It Does Not Contain  
Chemical Waterproofing




It Resists High  
Temperatures



Fire Resistant It Does  
Not Emit Toxic Gas In The



It Does Not Release  
Harmful Substances





LUXARO




## AFYON BIANCO

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

AFYON BIANCO






## ALDUR BROWN

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

ALDUR BROWN





**ALDUR NATURAL**

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

ALDUR NATURAL



LUXARO

## AMARANTO BROWN

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

AMARANTO BROWN






## AMERA BIANCOT EM

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

AMERA BIANCOT EM





## ATHENA SILVER ONYX

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm








LUXARO

ATHENA SILVER ONYX






## ATLANTA WHITE

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

ATLANTA WHITE





## ATLANTIC ICE CRAKE

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

ATLANTIC ICE CRAKE



LUXARO



## BAVARIAN BROWN

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

BAVARIAN BROWN







## BRECCIA LEMON

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO



BRECCIA LEMON





## CALIFORNIA PEARL

Size : 600x1200mm

Finish : End Match

Random : 3

Thickness : 9mm







LUXARO

CALIFORNIA PEARL






## CALLIS GOLD

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







# LUXARO

CALLIS GOLD



LUXARO



## CARAKON MULTI

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

CARAKON MULTI







## CREAMY ELEGANCE CREMA

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

CREAMY ELEGANCE CREMA






## CRYSTAL BLUE ICE

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

CRYSTAL BLUE ICE






## EQVADOR WHITE

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

EQVADOR WHITE



LUXARO



## ETERNAL TAUPE

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

ETERNAL TAUPE



LUXARO




## GRANGER AZUL

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

GRANGER AZUL



LUXARO




## GRANGER GRIS

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

GRANGER GRIS





## GREEK CREMA EM

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

GREEK CREMA EM






## ICE BERG GREY

Size : 600x1200mm

Finish : End Match

Random : 3

Thickness : 9mm







LUXARO

ICE BERG GREY



LUXARO

## ICONIC BIANCO

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO



ICONIC BIANCO





## ICONIC PEARL

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

ICONIC PEARL



LUXARO




## INDIGO WHITE

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

INDIGO WHITE





**LEON BEIGE**

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

LEON BEIGE





**LUMINA WHITE**

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

LUMINA WHITE





**LUPIT GREY END LESS**

Size : 600x1200mm

Finish : End Match

Random : 1

Thickness : 9mm







LUXARO

LUPIT GREY END LESS





## MARFIL FAB LIGHT

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

V/R  
VILLA RESORT

MARFIL FAB LIGHT







## MONTAGE GOLD EM

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm






LUXARO

MONTAGE GOLD EM






## MONTAGE GREY EM

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

MONTAGE GREY EM






## MORELLA BIANCO

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

MORELLA BIANCO





## OCEAN LAND

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

OCEAN LAND





**OCEAN ONYX MOSS**

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm








LUXARO

OCEAN ONYX MOSS





## ORCERA NOVA

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm








LUXARO

ORCERA NOVA






## ORION ASH

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

ORION ASH






**ORION BROWN**

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

ORION BROWN





**PERIDOT ONYX**

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

PERIDOT ONYX





LUXARO




## PHANTOM BIANCO

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

PHANTOM BIANCO





**PORCUNA IVORY**

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

PORCUNA IVORY





## PRIZMA SATVARIO

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

PRIZMA SATVARIO





## REVIVE BROWN

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm








LUXARO

REVIVE BROWN





## REVIVE AZUL

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

REVIVE AZUL



LUXARO

## SATUARIO DOLMEN

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

SATUARIO DOLMEN



LUXARO


## SATUARIO MARMO

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

SATUARIO MARMO



LUXARO


## SIRIO BROWN

Size : 600x1200mm

Finish : End Match

Random : 3

Thickness : 9mm





LUXARO



SIRIO BROWN





## SKY ONYX GOLD

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

SKY ONYX GOLD





## SKY ONYX SILVER

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

SKY ONYX SILVER







**SOBARO WHITE**

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

SOBARO WHITE





LUXARO

## SPIRIT BROWN

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

SPIRIT BROWN



LUXARO



## SPIRIT GRIS

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

SPIRIT GRIS






## STATUARIO ALCHEMY

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

STATUARIO ALCHEMY





## STATUARIO FRECCIA

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

STATUARIO FRECCIA



LUXARO

## STATUARIO GRANITE

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

STATUARIO GRANITE



LUXARO




## STATUARIO MONALISA

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO



STATUARIO MONALISA





## STATUARIO NOISE

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

STATUARIO NOISE





## TITANIUM SAVONA GOLD

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm






A high-end retail store interior featuring large, light-colored tiles with a gold-veined pattern. The store is elegantly decorated with dark wood paneling, glass display cases, and black pedestals. Various luxury items, including clothing, handbags, and shoes, are displayed throughout the space. The floor is made of large, square tiles with a prominent gold-veined pattern. The walls are a mix of dark wood and glass. The lighting is soft and focused on the merchandise.

# LUXARO

TITANIUM SAVONA GOLD





## TRASMIN ONYX

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

TRASMIN ONYX





## VIZON GREY

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

VIZON GREY





**COASTAL WHITE**

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO

COASTAL WHITE





LUXARO

## CORK NATURAL

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm





LUXARO



CORK NATURAL






## ENDLESS ONYX GOLD

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm








LUXARO

ENDLESS ONYX GOLD







**ENDLESS MAJESTIC\_**

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

ENDLESS MAJESTIC





## ENDLESS MAJESTIC

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

ENDLESS MAJESTIC






## ENDLESS MAJESTIC SILVER

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm






LUXARO

ENDLESS MAJESTIC SILVER



LUXARO




## OYSTER GREY

Size : 600x1200mm

Finish : End Match

Random : 4

Thickness : 9mm







LUXARO

OYSTER GREY



# LUXARO

## TECHNICAL SPECIFICATION

| CHARACTERISTIC                              | STANDARD AS PER<br>ISO-13006/EN 14411<br>GROUP BIa | MEAN VALUE OF<br>POLISHED GVT | MEAN VALUE OF<br>RUSTIC GVT | TEST METHOD  |                |
|---------------------------------------------|----------------------------------------------------|-------------------------------|-----------------------------|--------------|----------------|
| REGULATORY PROPERTIES                       |                                                    |                               |                             |              |                |
| Deviation in length & width                 | ±0.5 %                                             | ±0.1 %                        | ±0.1 %                      | ISO-10545-2  |                |
| Deviation in thickness                      | ±5.0 %                                             | ±4.0 %                        | ±4.0 %                      | ISO-10545-2  |                |
| Straightness in side                        | ±0.5 %                                             | ±0.1 %                        | ±0.1 %                      | ISO-10545-2  |                |
| Rectangularity                              | ±0.5 %                                             | ±0.1 %                        | ±0.1 %                      | ISO-10545-2  |                |
| Surface flatness                            | ±0.5 %                                             | ±0.2 %                        | ±0.2 %                      | ISO-10545-2  |                |
| Color difference                            | Unaltered                                          | No change                     | No change                   | ISO-10545-16 |                |
| Glossiness                                  | As per mfg                                         | Min 90%                       | Min 4%                      | GLOSSOMETER  |                |
| STRUCTURAL PROPERTIES                       |                                                    |                               |                             |              |                |
| Water absorption                            | < 0.50 %                                           | < 0.20 %                      | < 0.20 %                    | ISO-10545-3  |                |
| Apparent density                            | > 2.0 g/cc                                         | >2.10 g/cc                    | >2.10 g/cc                  | DIN 51082    |                |
| MASSIVE MECHANICAL PROPERTIES               |                                                    |                               |                             |              |                |
| Modulus of rupture                          | Min. 35 N/mm²                                      | Min. 40 N/mm²                 | Min. 40 N/mm²               | ISO-10545-4  |                |
| Breaking strength                           | Min. 1300 N                                        | Min. 2000 N                   | Min. 2000 N                 | ISO-10545-4  |                |
| Impact resistance                           | As per mfg.                                        | Min. 0.55                     | Min. 0.55                   | ISO-10545-5  |                |
| SURFACE MECHANICAL PROPERTIES               |                                                    |                               |                             |              |                |
| Surface abrasion resistance                 | As per mfg.                                        | Min. Class-3                  | Min. Class-4                | ISO-10545-7  |                |
| MOH's hardness                              | As per mfg.                                        | Min. 4                        | Min. 5                      | EN 101       |                |
| THERMO HYGROMETRIC PROPERTIES               |                                                    |                               |                             |              |                |
| Frost resistance                            | No damage                                          | No damage                     | No damage                   | ISO-10545-12 |                |
| Thermal shock resistance                    | No damage                                          | No damage                     | No damage                   | ISO-10545-9  |                |
| Moisture expansion                          | Nil                                                | Nil                           | Nil                         | ISO-10545-10 |                |
| Thermal expansion (COE)                     | Max. 9.0 x 10 <sup>-6</sup>                        | Max. 6.5x10 <sup>-6</sup>     | Max. 6.5 x 10 <sup>-6</sup> | ISO-10545-8  |                |
| Crazing resistance                          | As per mfg.                                        | Min. 10 Cycle                 | Min. 10 Cycle               | ISO-10545-11 |                |
| CHEMICAL PROPERTIES                         |                                                    |                               |                             |              |                |
| Chemical resistance                         | No damage                                          | No damage                     | No damage                   | ISO-10545-13 |                |
| Stain resistance                            | Resistant                                          | Resistant                     | Resistant                   | ISO-10545-14 |                |
| SAFETY PROPERTIES                           |                                                    |                               |                             |              |                |
| Slip resistance                             | As per mfg.                                        | >0.40                         | >0.40                       | ISO-10545-17 |                |
| Fire resistance                             | As per mfg.                                        | Fire proof                    | Fire proof                  | N. A.        |                |
| Lead & Cadmium given off<br>by glazed tiles | As per mfg.                                        | Does not yield Pb & Cd        | Does not yield Pb & Cd      | ISO-10545-15 |                |
| Dimension<br>(MM)                           |                                                    | Box                           |                             |              |                |
|                                             |                                                    | Pieces                        | Sq. Mtr.                    | Sq. Feet     | Weight(Apx.)   |
| 600x1200mm                                  |                                                    | 2                             | 1.44                        | 15.50        | 27 Kgs. Approx |